

## ANALYSIS TEMPLATE REPORT

Primary Element	Secondary Element	Weight	Unit	Element Rate	Value
<b>52 . Dismantling and Repair Work</b>					
<b>52-320</b>	Repair cracks (25mmx12mm) on floor with (1:2) cement mortar.				
10.	<u>Materials : Concrete</u>				
	10-100 Cement : Portland ... ..	0.2190	kg	@ Tk. . . .per	kg Tk. ....
	10-370 Sand, FM >= 1.0 ... ..	0.0003	cum	@ Tk. . . .per	cum Tk. ....
				<b>Sub Total</b>	Tk. ....
80.	<u>Labour</u>				
	80-375 Labour, Unskilled ... ..	0.0123	day	@ Tk. . . .per	day Tk. ....
	80-375 (Labour, Unskilled ... ..)	0.0003	day	@ Tk. . . .per	day Tk. .... (Misc. Sundry)
	80-425 Mason .. ..	0.0068	day	@ Tk. . . .per	day Tk. ....
	80-430 Mason, Head ... ..	0.0002	day	@ Tk. . . .per	day Tk. ....
				<b>Sub Total</b>	Tk. ....
				<b>Sum of Sub Total</b>	Tk. ....
				<b>Overhead &amp;</b>	2.5 Tk. ....
				<b>Item Total</b>	Tk. ....
				<b>Contractor's</b>	10 % Tk. ....
				<b>Total</b>	Tk. ....
				<b>VAT</b>	5.5 % Tk. ....
				<b>Item Grand Total</b>	Tk. ....